



## **Apple iPhone 16 Pro Max (8GB / 256GB) (Black Titanium)**

Model No: AP-16-PROMAX-256GB-B



### **Price:**

---

Rs. 610,000

### **Warranty:**

---

2 Years(s) manufacturer warranty.

2 Year Manufacturer Warranty, 6 Months Manufacturer Warranty for Accessories

## Delivery:

---

Delivery - Standard 3 To 5 Working Days.

- Delivery Within 3 Working Days For Colombo And Suburbs, 5 Working Days For Other Locations.
- For Any Invoice Up To Rs.9,999, A Delivery Rate Of Rs.500 Will Be Charged.
- For Any Invoice From Rs.10,000 To 19,999, A Delivery Rate Of Rs.700 Will Be Charged.
- For Any Invoice From Rs.20,000 To 49,999, A Delivery Rate Of Rs.900 Will Be Charged.
- For Any Invoice From Rs.50,000 To 99,999, A Delivery Rate Of Rs.1200 Will Be Charged.
- For Any Invoice From Rs.100,000 To 149,999, A Delivery Rate Of Rs.1500 Will Be Charged.
- For Any Invoice From Rs.150,000 And Above, A Delivery Rate Of Rs.2000 Will Be Charged.

## Specifications:

---

- :Type: Smartphones
- Network:2G Network: GSM 850 / 900 / 1800 / 1900 - SIM 1 & SIM 2 (dual-SIM)
- Network:3G Network: HSDPA 850 / 900 / 1700(AWS) / 1900 / 2100 CDMA2000 1xEV-DO
- Network:4G Network: 1, 2, 3, 4, 5, 7, 8, 12, 13, 17, 18, 19, 20, 25, 26, 28, 30, 32, 34, 38, 39, 40, 41, 42, 48, 53, 66 - A3296
- Network:5G Network: 1, 2, 3, 5, 7, 8, 12, 20, 25, 26, 28, 30, 38, 40, 41, 48, 53, 66, 70, 75, 76, 77, 78, 79 SA/NSA/Sub6 - A3296
- Network:Data Speed: HSPA, LTE, 5G, EV-DO Rev.A 3.1 Mbps
- Body:Dimensions: 163 x 77.6 x 8.3 mm (6.42 x 3.06 x 0.33 in)
- Body:Weight: 227 g (8.01 oz)
- Body:Build: Glass front (Corning-made glass), glass back (Corning-made glass), titanium frame (grade 5)
- Body:Protection: P68 dust/water resistant (up to 6m for 30 min)
- Body:SIM: Nano-SIM and eSIM - International
- Display:Display Type: LTPO Super Retina XDR OLED, 120Hz, HDR10, Dolby Vision, 1000 nits (typ), 2000 nits (HBM)
- Display:Display Size: 6.9 inches, 115.6 cm<sup>2</sup> (~91.4% screen-to-body ratio)
- Display:Display Resolution: 1320 x 2868 pixels, 19.5:9 ratio (~460 ppi density)
- Display:Display Protection: Ceramic Shield glass (2024 gen)
- Platform:OS: iOS 18
- Platform:Chipset: Apple A18 Pro (3 nm)
- Platform:CPU: Hexa-core (2x4.05 GHz + 4x2.42 GHz)
- Platform:GPU: Apple GPU (6-core graphics)
- Memory:Memory Card Slot: No
- Memory:Memory Internal: 256GB, 8GB RAM
- Main Camera:Main Camera - Types: Triple (1/3): 48 MP, f/1.8, 24mm (wide), 1/1.28", 1.22µm, dual pixel PDAF, sensor-shift OIS | Triple (2/3): 12 MP, f/2.8, 120mm (periscope telephoto), 1/3.06", 1.12µm, dual pixel PDAF, 3D sensor?shift OIS, 5x optical zoom | Triple (3/3): 48 MP, f/2.2, 13mm (ultrawide), 0.7µm, PDAF | TOF 3D LiDAR scanner

(depth)

- Main Camera:Main Camera - Video: 4K@24/25/30/60/100/120fps, 1080p@25/30/60/120/240fps, 10-bit HDR, Dolby Vision HDR (up to 60fps), ProRes, 3D (spatial) video/audio, stereo sound rec.
- Selfie Camera:Selfie Camera - Types: 12 MP, f/1.9, 23mm (wide), 1/3.6", PDAF, OIS | SL 3D, (depth/biometrics sensor)
- Selfie Camera:Selfie Camera - Features: HDR, Dolby Vision HDR, 3D (spatial) audio, stereo sound rec.
- Selfie Camera:Selfie Camera - Video: 4K@24/25/30/60fps, 1080p@25/30/60/120fps, gyro-EIS
- Sound:Sound - Loudspeaker: Yes, with stereo speakers
- Sound:Sound - 3.5mm Jack: No
- Sound:Sound - Other Info: Supported formats include AAC, MP3, Apple Lossless, FLAC, Dolby Digital, Dolby Digital Plus, and Dolby Atmos
- Comms:WLAN: Wi-Fi 802.11 a/b/g/n/ac/6e/7, tri-band, hotspot
- Comms:Bluetooth: 5.3, A2DP, LE
- Comms:GPS: GPS (L1+L5), GLONASS, GALILEO, BDS, QZSS, NavIC
- Comms:NFC: Yes
- Comms:Radio: No
- Comms:USB: USB Type-C 3.2 Gen 2, DisplayPort
- :Sensors: Face ID, accelerometer, gyro, proximity, compass, barometer Ultra Wideband (UWB) support (gen2 chip)Ultra Wideband (UWB) support (gen2 chip)Emergency SOS, Emergency SOS, Messages and Find My via satellite Messages and Find My via satellite
- Battery:Battery Info: Li-Ion 4685 mAh, non-removable
- Battery:Battery Charging: Wired, PD2.0, 50% in 30 min (advertised)
- :Colors: Black Titanium

Date: 2025-04-18 04:22